

Poster(s):

1. **Tomoyuki Saito**, Weiling Liu, Sophia Tsong Chew, Lian Kah Ti. The Predictive Laryngeal Mask Airway Difficulty Score (PLAD Score): a new score for difficult laryngeal mask airway assessment. (without validation cohort). Presented at: American Society of Anesthesiology Meeting 2015, 2015 October 24-28.
2. **Saito T**, Liu W, Chew ST, Ti LK. The Incidence and Risk Factors of Difficult Laryngeal Mask Ventilation in a South-East Asian Population. Presented at: International Anesthesia Research Society 2015: Annual Meeting and International Science Symposium, March 21-24, 2015, Honolulu, Hawaii. Selected as a nominee for the prestigious Kosaka Abstract Awards from over 750 abstract.

Journal publication(s):

1. **Saito T**, Wong ZW, Thinn KK, Poon KH, Liu E. Review of critical incidents in a university department of anaesthesia. *Anaesth Intensive Care*. 2015 Mar;43(2):238-43.
2. **Saito T**, Liu W, Chew ST, Ti LK. Incidence of and risk factors for difficult ventilation via a supraglottic airway device in a population of 14 480 patients from South-East Asia. *Anaesthesia*. 2015 Sep;70(9):1079-83.