





**Oh dear,
where do I bring
my child to?**



| | Bring your child to the family clinic/GP if your child: | Bring your child to the Children's Urgent Care Clinic if your child: | Bring your child to the Children's Emergency if your child: |
|--|--|---|--|
| Fever (38.0°C and above)  | <ul style="list-style-type: none"> • Is above 3 months old • Has a fever of less than 40°C • Has a fever for 5 days or less • Is still active and drinking well • Has no change in urine output | <ul style="list-style-type: none"> • Is above 3 months old • Has a fever of less than 41°C • Has prolonged fever for 5 days or more • Is drinking less but at least half of the usual fluid intake • Has a decrease in urine output | <ul style="list-style-type: none"> • Is below 3 months old • Has a fever of more than 41°C • Is feeling lethargic • Has breathing difficulties • Has a fit • Is drinking less than half of the usual fluid intake • Has no urine output for the past 8 hours |
| Gastroenteritis  | <ul style="list-style-type: none"> • Has mild vomiting and/or diarrhoea • Is drinking as per normal • Remains active • Has no change in urine output | <ul style="list-style-type: none"> • Has persistent vomiting • Has mild blood-streaked diarrhoea • Has abdominal pain that comes and goes • Is drinking less but at least half of the usual fluid intake • Has a decrease in urine output • Is slightly more tired than usual but mostly active | <ul style="list-style-type: none"> • Has severe vomiting with blood and bile-stained fluid • Has severe bloody diarrhoea • Has severe abdominal pain • Is drinking less than half of the usual fluid intake • Has no urine output for more than 8 hours • Is lethargic |
| Upper Respiratory Tract Infection  | <ul style="list-style-type: none"> • Has fever, mild cough, runny or blocked nose • Have no breathing difficulties • Is drinking as per normal • Remains active • Has no change in urine output | <ul style="list-style-type: none"> • Is slightly more breathless than usual • Has a mild wheeze or noisy breathing • Is drinking less but at least half of the usual fluid intake • Has a decrease in urine output | <ul style="list-style-type: none"> • Is lethargic • Has breathing difficulties and looks blue • Is drinking less than half of the usual fluid intake • Has no urine output for the past 8 hours |
| Hand, foot and mouth disease (HFMD)  | <ul style="list-style-type: none"> • Has fever and rash over hands, feet and/or mouth • Is feeding as per normal or with slightly reduced intake • Remains active • Has no change in urine output | <ul style="list-style-type: none"> • Is drinking less but at least half of the usual fluid intake • Has a decrease in urine output • Is less active | <ul style="list-style-type: none"> • Is lethargic • Is drinking less than half of the usual fluid intake • Has no urine output for more than 8 hours • Has headache |