



Easy Steps to Better Sleep: 1 to 3 Year Old Toddler

WHAT IS SLEEP LIKE FOR YOUR CHILD AT THIS STAGE?

Good sleep is essential for every child as sleep has a significant impact on learning and behavioural development. Adequate sleep quantity and good sleep quality contribute to optimal brain function and the overall growth and health of your child. When your child sleeps well, it also reduces the disruptions to your family's sleep.



It is important that your child's good sleep practices are reinforced at this stage as he/she will undergo various developmental milestones which could affect his/her sleep.

SLEEP PATTERNS

- Children in this phase would sleep an average of 11 to 13 hours over a 24-hour period, inclusive of 1 to 2 daytime naps lasting a total of 2 to 3 hours.¹

¹ Mindell, J. A., & Owens, J. A. (2015). *A Clinical Guide to Pediatric Sleep: Diagnosis and Management of Sleep Problems*. Wolters Kluwer Health.



DEVELOPMENTAL MILESTONES IN YOUR CHILD

- At this age, your child would experience significant development in the areas of gross motor, cognitive, language and social/emotional skills. His/her independent mobility, curiosity and increasing need for autonomy would often lead to limit-testing behaviours and hence, resisting sleep at bedtime.
- Children with separation anxiety may also experience increased bedtime resistance and problematic night wakings.

SLEEP CHALLENGES

Bedtime Resistance

Presentation

- Resisting going to bed and/or demanding caregiver attention.
- Taking longer than 30 minutes to fall asleep.²



Management

- Implement a sleep schedule with consistent bedtime and daytime naps. Avoid napping beyond 4pm.³
- Establish a consistent bedtime routine.
- If needed, allow your child to use the same transitional object (e.g., soft toy) at bedtime and naptime.
- Establish and enforce appropriate boundaries during bedtime. Put your child to bed drowsy but awake to allow your child to learn to self-soothe.
- Use positive reinforcement the following morning to reward your child's good behaviour at bedtime.
- Use of electronic devices and screens as part of the bedtime routine is strongly discouraged.



² Mindell, J. A., & Owens, J. A. (2015). *A Clinical Guide to Pediatric Sleep: Diagnosis and Management of Sleep Problems*. Wolters Kluwer Health.

³ Mindell, J. A., & Owens, J. A. (2015). *A Clinical Guide to Pediatric Sleep: Diagnosis and Management of Sleep Problems*. Wolters Kluwer Health.

Our Patient Care Institutions

National University Hospital

Ng Teng Fong General Hospital &
Jurong Community Hospital

Alexandra Hospital

National University Polyclinics

Jurong Medical Centre

National University Cancer Institute, Singapore

National University Heart Centre, Singapore

National University Centre for Oral Health, Singapore

NUHS Diagnostics

NUHS Pharmacy



Scan the QR code for
more information on our
patient care institutions.



Scan QR code for
more information on
NUWoC facilities.

OneNUHS Hotline: (65) 6908 2222

OneNUHS General Enquiries: contactus@nuhs.edu.sg

OneNUHS Appointments: appointment@nuhs.edu.sg

www.nuhs.edu.sg

Take charge of your health and
access health information and
services across NUHS institutions.

Download the OneNUHS App now!



Scan to download

The information in this brochure is meant for educational purposes and should not be used as a substitute for medical diagnosis or treatment. Please seek your doctor's advice before starting any treatment, or if you have any questions related to your health, physical fitness or medical condition.

©2024, National University Hospital. All rights reserved. No part of this publication may be reproduced or shared without prior permission from National University Hospital.

Information is correct at time of printing (Jan 2024) and subject to revision without prior notice.